

Due Date: October 16, 2007

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**  
**BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES**

In re Application of:	)	
	)	
Inventor: Howard Marantz et al.	)	Examiner: Alina A. Boutah
	)	
Serial #: 09/629,117	)	Group Art Unit: 2143
	)	
Filed: July 31, 2000	)	Appeal No.: _____
	)	
Title: METHOD AND APPARATUS FOR	)	
<u>OBTAINING A SET OF MAPS</u>	)	

**BRIEF OF APPELLANTS**

**MAIL STOP APPEAL BRIEF - PATENTS**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

In accordance with 37 CFR §41.37, Appellants hereby submit the Appellants' Brief on Appeal from the final rejection in the above-identified application, as set forth in the Office Action dated May 17, 2007.

Please charge the amount of \$510 to cover the required fee for filing this Appeal Brief as set forth under 37 CFR §41.37(a)(2) and 37 CFR §41.20(b)(2) to Deposit Account No. 50-0494 of Gates & Cooper LLP. Also, please charge any additional fees or credit any overpayments to Deposit Account No. 50-0494.

I. REAL PARTY IN INTEREST

The real party in interest is Autodesk, Inc., the assignee of the present application.

II. RELATED APPEALS AND INTERFERENCES

A related appeal decision number 2006-2141 was entered into the record on September 15, 2006 for the above identified matter. A copy of the decision follows in the Related Proceedings Appendix.

III. STATUS OF CLAIMS

Claims 1-52 remain pending in the application.

Claims 1-10, 13-22, 25-34, 38-40, 42-44, and 46-48 have been withdrawn from consideration.

Claims 11, 12, 23, 24, 35-37, 41, 45, 49, and 50-52 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Berstis, U.S. Patent No. 6,182,010 in view of DeLorme, US Patent No. 6,321,158.

All of the above rejections are being appealed.

IV. STATUS OF AMENDMENTS

No amendments to the claims have been made subsequent to the final Office Action.

V. SUMMARY OF CLAIMED SUBJECT MATTER

A table indicating the support in the specification for each of the independent claims follows.

Claim Element	Specification
11. A system for accessing geographic information comprising:	Page 8, lines 20-23.
(a) a thin client;	Page 12, lines 6-10; Fig. 1.
(b) an application on the thin client, the application configured to:	Page 13, lines 6-11; Fig. 1; Fig. 4.
(i) request a map from a	Fig. 1; page 17, lines 11-15; page 18, lines 6-8;

servlet;	Fig. 3.
(ii) receive, in response to the request, a single mapset constructed on a per-user basis prior to the servlet receiving the request, wherein the single mapset comprises two or more maps, and map data for the two or more maps in the single mapset;	Page 22, lines 1-5; Page 19, lines 19-page 20, line 4; Page 9, lines 10-18; Page 18, lines 15-18; Page 20, lines 5-13; Fig. 4; Fig. 5; Page 21, lines 2-15; Page 22, line 3-5; Page 23, line 7-10; page 24, lines 4-5; page 20, lines 5-7.
(iii) format the map data in the single mapset;	Page 16, lines 9-15; Page 17, line 22-page 18, line 5; Page 28, lines 5-7; Fig. 4.
(iv) display the map data on a screen of the thin client.	Page 16, lines 9-15; Page 17, line 22-page 18, line 5; Page 28, lines 5-7; Fig. 4.
23. A method for accessing geographic information comprising:	Page 8, lines 20-23.
requesting map data from a servlet;	Fig. 1; page 17, lines 11-15; page 18, lines 6-8; Fig. 3.
receiving, in response to the request, the map data in a single mapset constructed on a per-user basis prior to the servlet receiving the request, wherein the single mapset comprises two or more maps, and map data for the two or more maps in the single mapset;	Page 22, lines 1-5; Page 19, lines 19-page 20, line 4; Page 9, lines 10-18; Page 18, lines 15-18; Page 20, lines 5-13; Fig. 4; Fig. 5; Page 21, lines 2-15; Page 22, line 3-5; Page 23, line 7-10; page 24, lines 4-5; page 20, lines 5-7.
formatting the map data;	Page 16, lines 9-15; Page 17, line 22-page 18, line 5; Page 28, lines 5-7; Fig. 4.
displaying the map data on a screen of a thin client.	Page 16, lines 9-15; Page 17, line 22-page 18, line 5; Page 28, lines 5-7; Fig. 4.
35. An article of manufacture	Page 1, lines 4-6; Page 14, lines 17-22; Page 8,

comprising a program storage medium readable by a computer hardware device and embodying one or more instructions executable by the computer hardware device to perform a method for accessing geographic information, the method comprising:	lines 20-23.
requesting map data from a servlet;	Fig. 1; page 17, lines 11-15; page 18, lines 6-8; Fig. 3.
receiving, in response to the request, the map data in a single mapset constructed on a per-user basis prior to the servlet receiving the request, wherein the single mapset comprises two or more maps, and map data for the two or more maps in the single mapset;	Page 22, lines 1-5; Page 19, lines 19-page 20, line 4; Page 9, lines 10-18; Page 18, lines 15-18; Page 20, lines 5-13; Fig. 4; Fig. 5; Page 21, lines 2-15; Page 22, line 3-5; Page 23, line 7-10; page 24, lines 4-5; page 20, lines 5-7.
formatting the map data;	Page 16, lines 9-15; Page 17, line 22-page 18, line 5; Page 28, lines 5-7; Fig. 4.
displaying the map data on a screen of a thin client.	Page 16, lines 9-15; Page 17, line 22-page 18, line 5; Page 28, lines 5-7; Fig. 4.
41. A system for accessing geographic information comprising:	Page 1, lines 4-6; Page 14, lines 17-22; Page 8, lines 20-23.
(a) a thin client; and	Page 12, lines 6-10; Fig. 1.
(b) an application on the thin client, the application configured to:	Page 13, lines 6-11; Fig. 1; Fig. 4.
(i) request map data from a servlet;	Fig. 1; page 17, lines 11-15; page 18, lines 6-8; Fig. 3.
(ii) receive, in response to the request, the map data in a single mapset constructed on a per-user basis in	Page 9, lines 4-9; Page 11, lines 9-14; Page 12, line 22; Page 15, lines 14-17; Page 20, lines 11-21; Page 22, lines 3-5; Page 23, lines 7-14; FIGS.

parallel on multiple processing units, wherein the single mapset comprises two or more maps, and map data for the two or more maps in the single mapset;	3, 4, and 5.
(iii) format the map data; and	Page 16, lines 9-15; Page 17, line 22-page 18, line 5; Page 28, lines 5-7; Fig. 4.
(iv) display the map data on a screen of the thin client.	Page 16, lines 9-15; Page 17, line 22-page 18, line 5; Page 28, lines 5-7; Fig. 4.
45. A method for accessing geographic information comprising:	Page 1, lines 4-6; Page 14, lines 17-22; Page 8, lines 20-23.
requesting map data from a servlet;	Fig. 1; page 17, lines 11-15; page 18, lines 6-8; Fig. 3.
receiving, in response to the request, the map data in a single mapset constructed on a per-user basis in parallel on multiple processing units, wherein the single mapset comprises two or more maps, and map data for the two or more maps in the single mapset;	Page 9, lines 4-9; Page 11, lines 9-14; Page 12, line 22; Page 15, lines 14-17; Page 20, lines 11-21; Page 22, lines 3-5; Page 23, lines 7-14; FIGS. 3, 4, and 5.
formatting the map data; and	Page 16, lines 9-15; Page 17, line 22-page 18, line 5; Page 28, lines 5-7; Fig. 4.
displaying the map data on a screen of a thin client.	Page 16, lines 9-15; Page 17, line 22-page 18, line 5; Page 28, lines 5-7; Fig. 4.
49. An article of manufacture comprising a program storage medium readable by a computer hardware device and embodying one or more instructions executable by the computer hardware device to perform a method	Page 1, lines 4-6; Page 14, lines 17-22; Page 8, lines 20-23.

for accessing geographic information, the method comprising:	
requesting map data from a servlet;	Fig. 1; page 17, lines 11-15; page 18, lines 6-8; Fig. 3.
receiving, in response to the request, the map data in a single mapset constructed on a per-user basis in parallel on multiple processing units, wherein the single mapset comprises two or more maps, and map data for the two or more maps in the single mapset;	Page 9, lines 4-9; Page 11, lines 9-14; Page 12, line 22; Page 15, lines 14-17; Page 20, lines 11-21; Page 22, lines 3-5; Page 23, lines 7-14; FIGS. 3, 4, and 5.
formatting the map data; and	Page 16, lines 9-15; Page 17, line 22-page 18, line 5; Page 28, lines 5-7; Fig. 4.
displaying the map data on a screen of a thin client.	Page 16, lines 9-15; Page 17, line 22-page 18, line 5; Page 28, lines 5-7; Fig. 4.

In view of the above, independent claims 11, 23, and 35 are directed towards a thin client used to access geographic information (see page 8, lines 22-23). More specifically, an application on a thin client requests map data from a servlet (see FIG. 1; page 17, lines 11-15; page 18, lines 6-8; FIG. 3). The map data is then received by the thin client in the form of a mapset (see page 22, lines 1-5).

The claims specifically provide that the mapset contains map data for two (2) or more maps (see page 19, line 19-page 20, line 4). Further, the claims also specifically provide that the mapset was constructed prior to the servlet receiving the request from the thin client (see page 9, lines 10-18; page 18, lines 15-18; page 20, lines 5-13; FIG. 4; FIG. 5; page 21, lines 2-15; page 22, lines 3-5; page 23, lines 7-10; and page 24, lines 4-5).

In addition, the claims provide that the single mapset containing the multiple maps is constructed on a per-user basis (see page 20, lines 5-7). Thus, not only do the claims provide that the mapset is constructed prior to receiving a request from a thin client, but the mapset is

constructed on a per user basis. The benefits and use of such a per-user construction are further set forth with respect to the dependent claims 50-52 (see below).

Once the mapset is received, the thin client formats and displays the map data from the mapset on a screen of the PDA (see page 16, lines 9-15; page 17, line 22-page 18, line 5; page 28, lines 5-7).

Independent claims 41, 45, and 49 provide a system, method, and article of manufacture respectively for accessing geographic information (see page 8, lines 22-23). All of the claim sets are from the perspective of a thin client and not the server perspective with limitations similar to those set forth in independent claims 11, 23, and 35. Initially, map data is requested from a servlet (see FIG. 1; page 17, lines 11-15; page 18, lines 6-8; FIG. 3). The next step in all of the claims diverges from the steps set forth in independent claims 11, 23, and 35. In this regard, the claims specifically provide that the map data in a mapset was constructed in parallel on multiple processing units (see page 9, lines 4-9; page 11, lines 9-14; page 12, line 22; page 15, lines 14-17; page 20, lines 11-21; page 22, lines 3-5; page 23, lines 7-14; FIGS. 3, 4, and 5). The remaining steps format and display the data as in claims 11, 23, and 35 (see page 16, lines 9-15; page 17, line 22-page 18, line 5; page 28, lines 5-7).

Dependent claims 50-52 provide that the two or more maps included in the single mapset are based on one or more work orders for a specific user (i.e., consistent with the per-user basis construction). The benefits of such user-based work orders and construction of a mapset prior to receiving a request from a user are set forth in more detail on page 18, line 19-page 19, line 4 and page 20, line 5-page 22, line 5 of the specification as filed. In particular, Appellants direct the attention of the Board to page 21, lines 2-15:

FIG. 5 illustrates the asynchronous creation of a mapset/map data 408 by servlet 108. The invention may be utilized by utility, plumbing, construction, or other similar type industries wherein field technicians 504 perform repairs, installations, etc. A dispatcher 502 establishes one or more work orders 406 each day for each field technician 504. Accordingly, dispatcher 502 controls the dispatching application 402 wherein a work order 406 may be saved in a back-end database 508. Once a work order 406 is entered by dispatcher 502, the dispatching application 402 transmits a request to create, modify, add, or delete a map/mapset that contains the map data 408 for the work order 406. The request is transmitted across the internal network (e.g., intranet 510) to the server 106 (e.g., a hyper text transfer protocol (HTTP) server or web server 110). The request is forwarded to servlet 108 that creates, deletes, or modifies the map data 408 based on the request. Accordingly, the mapset 408 is pre-constructed by servlet 108 on a per-user 508 basis prior to the mapset/data 408 being requested by the user 508.

VI. GROUND OF REJECTION TO BE REVIEWED ON APPEAL

Whether claims 11, 12, 23, 24, 35-37, 41, 45, and 49 are unpatentable under 35 U.S.C. § 103(a) over Berstis, U.S. Patent No. 6,182,010 in view of DeLorme, US Patent No. 6,321,158.

VII. ARGUMENT

Claims 11, 12, 23, 24, 35-37, 41, 45, and 49 are patentable under 35 U.S.C. § 103(a) over Berstis, U.S. Patent No. 6,182,010 in view of DeLorme, US Patent No. 6,321,158.

A. Independent Claims 11, 23, and 35

Applicants traverse the rejections set forth in the Office Action. Namely, neither Berstis nor DeLorme teach, disclose, or suggest the construction of a mapset containing multiple maps on a per-user basis.

As set forth in the Summary above, there are numerous advantages to constructing a mapset on a per-user basis. For example, individual and particular users may have a need for a more specific or defined set of maps. However, merely establishing a set of maps without reference to a particular user or on a per user basis ignores such a need. For example, as set forth in dependent claims 50-52, a mapset may include maps needed for a particular work order or set of work orders for a utility person (e.g., plumber, electrician, etc.). The maps may be gathered on the server side prior to the utility person even requesting the mapset. Such pre-construction of the mapset for the particular user expedites the time when the user connects to the server to retrieve the data. In the prior art, the user was required to wait while the server gathered the map data to satisfy the user's request. Such server-side processing is no longer a bottleneck in the present invention.

Further, the Office Action and prior art fail to address such a need or the advantages set forth by the present invention. Instead, the prior art (i.e., Berstis and DeLorme) are consistent with the prior art implementations and completely fail to address work orders or mapsets that are constructed on a per-user basis.

In addition to the above, and consistent with the prior Decision on Appeal, the Applicants have specifically set forth that the single mapset contains multiple maps.

In response to the above, the final Office Action provides:

Applicant's arguments have been considered but are not found persuasive. In response to Applicant's argument that neither Berstis nor DeLorme teach the construction of a mapset containing multiple maps on a per-user basis, the PTO respectfully disagrees and submits that this is taught by DeLorme as cited above. Figures 1 L and 1 M, as well as their respective descriptions (col. 28, lines 1-16 and col. 30, lines 28-46) disclose mapset that is constructed based on a user-specific point of interest, such as a campground or a resort. The point of interest in this case is interpreted as "per-user basis" as claimed.

Appellants respectfully disagree with and traverse such an assertion. Col. 28, lines 1-16 provides:

FIGS. 1L and 1M further depict information resources about specific types of places. As disclosed hereafter in relation to FIG. 1-O and quick menu 161, the user can access information on specific types of POIs such as hotels or restaurants. List boxes for local hotels and restaurants appear at 154 and 156 in FIG. 1L and for campgrounds at 158 in FIG. 1M. These listboxes all have a button to Attach information on chosen accommodations to emerging travel plan output. These listboxes also allow the user to call for more detailed information or Full Info on selected locations of the respective types. Such information availability is indicated on the mapping interface by colored symbols within a small rectangle under or adjacent to the relevant place name, as shown for Shelburne at 157. The Campground information box at 159 shows a typical display of Full Info requested by the user concerning the Shelburne Camping Area.

Col. 30, lines 28-46 provides:

On the other hand, a typical operation or program can begin on the multimedia side 209 with user entry of one or more points of interest (POIs) selected by the user inputting individual POIs or by database searches, sorting for specific predefined types of POI, related characteristics, or linked data or information using the underlying GIS 201. In FIG. 2, to set up a presentation of multimedia place information, the user can perform individual or manual POI input at step 243. For example, a vacation traveler can request multimedia information on two or three popular resort locations recommended by friends, ads or travel articles by using well known data entry methods such as keying in the resort names, or nearest place name, or geographic coordinates. The system 200 is further able to locate individual POIs for input by enabling a user to select from lists of place names, or through linked phone exchange, zip code or geographic coordinate data. The user can engage in manual input of individual POIs by clicking at points, symbols or place names on the map display.

As can be clearly seen from such text, the DeLorme does not even remotely suggest that information or points of interest are constructed (1) prior to the user issuing the request, nor (2) on a per user basis (as claimed). Instead, col. 28, lines 1-16 and figs. 1L and 1M describe how a user can request additional detailed information by selecting a particular area. Such a request does not describe at all whether the package was created for the particular user. In fact, it is more likely that since the user has various options and may not use all of them, the information was likely created for multiple users and not on a per user basis as claimed. Further, col. 30, lines 28-46 illustrates how the user identifies certain points of interest and then requests such information in an interactive manner.

Such a description serves to teach away from the present claims since the interactive creation cannot possibly occur prior to the user requesting the information as claimed.

Again, the claims provide that not only is the mapset created on a per user basis but it is created on a per user basis before the servlet even receives the request from the client. Such a teaching is wholly and completely lacking from the cited references.

B. Dependent claims 12, 24, and 36 are Not Separately Argued

C. Dependent claim 37 is Not Separately Argued

D. Independent Claims 41, 45, and 49

Appellants traverse the rejections set forth in the final Office Action.

As stated above, independent claims 41, 45, and 49 are generally directed towards a PDA used to access geographic information. In fact, the claim elements are very similar between claims 11, 23, and 35 and 41, 45, and 49. However, the distinguishing limitation in claims 41, 45, and 49 provides that the map set is constructed in parallel on multiple processing units.

In view of the similarities, Appellants reassert the arguments set forth above with respect to claims 11, 23, and 35.

In addition, Appellants traverse the rejections in that these claims provide for constructing the mapset on a per-user basis in parallel on multiple processing units. Appellants note that although Berstis discloses multiple servers in col. 4, the mere disclosure of multiple servers does not describe, teach, suggest, or allude to the possibility to create a single document or mapset in parallel across multiple servers. In this regard, the ability to conduct parallel processing is not described or hinted at in Berstis or DeLorme. In fact, electronic searches of both DeLorme and Berstis for the term “parallel” provide no results. Without even mentioning the term “parallel”, the references cannot possibly teach, describe, or suggest, the construction of a mapset on multiple servers in parallel. Further, one cannot merely state that because multiple servers are used, parallel processing would be obvious. Such a conclusion is merely conclusory and begs the questions of what aspects

and actions are conducted in parallel and how do they communicate the results. Accordingly, the cited references fail to even remotely provide any such teaching.

For at least the above reasons, Appellants submit claims 41, 45, and 49 are allowable over the cited art.

#### E. Dependent Claims 50-52

Dependent claims 50-52 provide that the two or more maps included in the single mapset are based on one or more work orders for a specific user. In rejecting these claims, the Office Action merely recites DeLorme col. 28, lines 1-16 and col. 30, lines 28-46. The text of such sections is recited above. As can be seen such text does not even remotely allude to a work order for a specific user or the ability to include multiple maps in a single mapset based on such a work order as claimed. Further, the term work order is described in detail in the present specification, see page 5, lines 7-16, page 18, line 21 and FIG. 4. In this regard a work order relates to an order to conduct work (e.g., for a field/utility technician). There is no such reference or even remote hint in DeLorme or Berstis regarding any type of work order whatsoever.

In view of the above, Appellants respectfully submit that dependent claims 50-52 are allowable and request reversal of the Examiner's rejections.

F. Conclusion

In light of the above arguments, Appellants respectfully submit that the cited references do not anticipate nor render obvious the claimed invention. More specifically, Appellants' claims recite novel physical features which patentably distinguish over any and all references under 35 U.S.C. §§ 102 and 103. As a result, a decision by the Board of Patent Appeals and Interferences reversing the Examiner and directing allowance of the pending claims in the subject application is respectfully solicited.

Respectfully submitted,

GATES & COOPER LLP

Attorneys for Appellant(s)

Howard Hughes Center  
6701 Center Drive West, Suite 1050  
Los Angeles, California 90045  
(310) 641-8797

Date: October 16, 2007

By: /Jason S. Feldmar/  
Name: Jason S. Feldmar  
Reg. No.: 39,187

JSF/

G&C 30566.112-US-U1

## CLAIMS APPENDIX

1. (WITHDRAWN) A system for providing geographic information comprising:
  - (a) a server;
  - (b) map data for one or more maps stored on the server;
  - (c) a servlet executing on the server, wherein prior to receiving a request for the map data from a client, the servlet is configured to:
    - (i) identify one or more maps included in a mapset;
    - (ii) obtain map data for the one or more maps from the server; and
    - (iii) create a mapset comprised of the map data.
2. (WITHDRAWN) The system of claim 1 wherein the mapset is created utilizing multiple central processing units in parallel.
3. (WITHDRAWN) The system of claim 1 wherein the servlet is further configured to:

receive a request for map data from a client; and

transmit the mapset to the client in response to the request.
4. (WITHDRAWN) The system of claim 3 wherein the request is a 'GET' HTTP request.
5. (WITHDRAWN) The system of claim 1 further comprising a MapGuide server configured to obtain spatial and attribute map data, and wherein the servlet obtains the map data from the MapGuide server.
6. (WITHDRAWN) The system of claim 1 wherein the mapset comprises a linear data stream.
7. (WITHDRAWN) The system of claim 1 wherein the servlet is configured to perform the identify, obtain, and create steps in response to receiving a request to add a work order.

8. (WITHDRAWN) The system of claim 1 wherein the servlet is configured to perform the identify, obtain, and create steps in response to receiving a request to delete a work order.

9. (WITHDRAWN) The system of claim 1 wherein the servlet is configured to perform the identify, obtain, and create steps in response to receiving a request to modify a work order.

10. (WITHDRAWN) The system of claim 1 wherein the maps included in the mapset are based on a work order identified by a dispatcher.

11. (PREVIOUSLY PRESENTED) A system for accessing geographic information comprising:

- (a) a thin client;
- (b) an application on the thin client, the application configured to:
  - (i) request a map from a servlet;
  - (ii) receive, in response to the request, a single mapset constructed on a per-user basis prior to the servlet receiving the request, wherein the single mapset comprises two or more maps, and map data for the two or more maps in the single mapset;
  - (iii) format the map data in the single mapset;
  - (iv) display the map data on a screen of the thin client.

12. (ORIGINAL) The system of claim 11 wherein the request is a 'GET' HTTP request.

13. (WITHDRAWN) A method for providing geographic information comprising:  
identifying one or more maps included in a mapset;  
obtaining map data for the one or more maps from a server;  
creating a mapset comprised of the map data; and

wherein the identifying, obtaining, and creating are performed prior to receiving a request for map data from a client.

14. (WITHDRAWN) The method of claim 13 wherein the creating is performed by multiple central processing units in parallel.

15. (WITHDRAWN) The method of claim 1 further comprising:  
receiving a request for map data from a client; and  
transmitting the mapset to the client in response to the request.

16. (WITHDRAWN) The method of claim 15 wherein the request is a 'GET' HTTP request.

17. (WITHDRAWN) The method of claim 13 the server obtains the map data from a database.

18. (WITHDRAWN) The method of claim 13 wherein the mapset comprises a linear data stream.

19. (WITHDRAWN) The method of claim 13 further comprising receiving a request to add a work order and wherein the identifying, obtaining, and creating are performed in response to the request.

20. (WITHDRAWN) The method of claim 13 further comprising receiving a request to delete a work order and wherein the identifying, obtaining, and creating are performed in response to the request.

21. (WITHDRAWN) The method of claim 13 further comprising receiving a request to modify a work order and wherein the identifying, obtaining, and creating are performed in response to the request.

22. (WITHDRAWN) The method of claim 13 wherein the maps included in the mapset are based on a work order identified by a dispatcher.

23. (PREVIOUSLY PRESENTED) A method for accessing geographic information comprising:

requesting map data from a servlet;

receiving, in response to the request, the map data in a single mapset constructed on a per-user basis prior to the servlet receiving the request, wherein the single mapset comprises two or more maps, and map data for the two or more maps in the single mapset;

formatting the map data;

displaying the map data on a screen of a thin client.

24. (ORIGINAL) The method of claim 23 wherein the request is a 'GET' HTTP request.

25. (WITHDRAWN) An article of manufacture comprising a program storage medium readable by a computer hardware device and embodying one or more instructions executable by the computer hardware device to perform a method for providing geographic information, the method comprising:

identifying one or more maps included in a mapset;

obtaining map data for the one or more maps from a server;

creating a mapset comprised of the map data; and

wherein the identifying, obtaining, and creating are performed prior to receiving a request for map data from a client.

26. (WITHDRAWN) The article of manufacture of claim 25 wherein the creating is performed by multiple central processing units in parallel.

27. (WITHDRAWN) The article of manufacture of claim 25, the method further comprising:

receiving a request for map data from a client; and  
transmitting the mapset to the client in response to the request.

28. (WITHDRAWN) The article of manufacture of claim 27 wherein the request is a 'GET' HTTP request.

29. (WITHDRAWN) The article of manufacture of claim 25 wherein the server obtains the map data from a database.

30. (WITHDRAWN) The article of manufacture of claim 25 wherein the mapset comprises a linear data stream.

31. (WITHDRAWN) The article of manufacture of claim 25, the method further comprising receiving a request to add a work order and wherein the identifying, obtaining, and creating are performed in response to the request.

32. (WITHDRAWN) The article of manufacture of claim 25, the method further comprising receiving a request to delete a work order and wherein the identifying, obtaining, and creating are performed in response to the request.

33. (WITHDRAWN) The article of manufacture of claim 25, the method further comprising receiving a request to modify a work order and wherein the identifying, obtaining, and creating are performed in response to the request.

34. (WITHDRAWN) The article of manufacture of claim 25 wherein the maps included in the mapset are based on a work order identified by a dispatcher.

35. (PREVIOUSLY PRESENTED) An article of manufacture comprising a program storage medium readable by a computer hardware device and embodying one or more instructions executable by the computer hardware device to perform a method for accessing geographic information, the method comprising:

- requesting map data from a servlet;
- receiving, in response to the request, the map data in a single mapset constructed on a per-user basis prior to the servlet receiving the request, wherein the single mapset comprises two or more maps, and map data for the two or more maps in the single mapset;
- formatting the map data;
- displaying the map data on a screen of a thin client.

36. (ORIGINAL) The article of manufacture of claim 35 wherein the request is a 'GET' HTTP request.

37. (ORIGINAL) The article of manufacture of claim 35 wherein the article of manufacture is a personal digital assistant.

38. (WITHDRAWN) A system for providing geographic information comprising:

- (a) a server;
- (b) map data for one or more maps stored on the server;
- (c) a servlet executing on the server, wherein the servlet is configured to:
  - (i) identify one or more maps included in a mapset;
  - (ii) instantiate separate threads to obtain map data for the one or more maps from the server in parallel;
  - (iii) assemble a transient database comprised of the map data; and
  - (iv) create a mapset comprised of the map data using the transient database.

39. (WITHDRAWN) The system of claim 38 wherein the map data is comprised of raster data, vector data, and meta data for each map.

40. (WITHDRAWN) The system of claim 38 wherein the separate threads execute on multiple central processing units.

41. (PREVIOUSLY PRESENTED) A system for accessing geographic information comprising:

- (a) a thin client; and
- (b) an application on the thin client, the application configured to:
  - (i) request map data from a servlet;
  - (ii) receive, in response to the request, the map data in a single mapset constructed on a per-user basis in parallel on multiple processing units, wherein the single mapset comprises two or more maps, and map data for the two or more maps in the single mapset;
  - (iii) format the map data; and
  - (iv) display the map data on a screen of the thin client.

42. (WITHDRAWN) A method for providing geographic information comprising:  
identifying one or more maps included in a mapset;  
instantiating separate threads to obtain map data for the one or more maps from the server in parallel;  
assembling a transient database comprised of the map data; and  
creating a mapset comprised of the map data using the transient database.

43. (WITHDRAWN) The method of claim 42 wherein the map data is comprised of raster data, vector data, and meta data for each map.

44. (WITHDRAWN) The method of claim 42 wherein the separate threads execute on multiple central processing units.

45. (PREVIOUSLY PRESENTED) A method for accessing geographic information comprising:

requesting map data from a servlet;  
receiving, in response to the request, the map data in a single mapset constructed on a per-user basis in parallel on multiple processing units, wherein the single mapset comprises two or more maps, and map data for the two or more maps in the single mapset;  
formatting the map data; and  
displaying the map data on a screen of a thin client.

46. (WITHDRAWN) An article of manufacture comprising a program storage medium readable by a computer hardware device and embodying one or more instructions executable by the computer hardware device to perform a method for providing geographic information, the method comprising:

identifying one or more maps included in a mapset;  
instantiating separate threads to obtain map data for the one or more maps from the server in parallel;  
assembling a transient database comprised of the map data; and  
creating a mapset comprised of the map data using the transient database.

47. (WITHDRAWN) The article of manufacture of claim 46 wherein the map data is comprised of raster data, vector data, and meta data for each map.

48. (WITHDRAWN) The article of manufacture of claim 46 wherein the separate threads execute on multiple central processing units.

49. (PREVIOUSLY PRESENTED) An article of manufacture comprising a program storage medium readable by a computer hardware device and embodying one or more instructions executable by the computer hardware device to perform a method for accessing geographic information, the method comprising:

requesting map data from a servlet;

receiving, in response to the request, the map data in a single mapset constructed on a per-user basis in parallel on multiple processing units, wherein the single mapset comprises two or more maps, and map data for the two or more maps in the single mapset;

formatting the map data; and

displaying the map data on a screen of a thin client.

50. (PREVIOUSLY PRESENTED) The system of claim 11 wherein the two or more maps included in the single mapset are based on one or more work orders for a specific user.

51. (PREVIOUSLY PRESENTED) The method of claim 23 wherein the two or more maps included in the single mapset are based on one or more work orders for a specific user.

52. (PREVIOUSLY PRESENTED) The article of manufacture of claim 35 wherein the two or more maps included in the single mapset are based on one or more work orders for a specific user.

## EVIDENCE APPENDIX

NONE

## RELATED PROCEEDINGS APPENDIX

THIS OPINION WAS NOT WRITTEN FOR PUBLICATION

The opinion in support of the decision being entered today was not written for publication and is not binding precedent of the Board.

UNITED STATES PATENT AND TRADEMARK OFFICE

---

BEFORE THE BOARD OF PATENT APPEALS  
AND INTERFERENCES

---

Ex parte HOWARD MARANTZ,  
NEMMARA CHITHAMBARAM, and SCOTT DING


---

Appeal No. 2006-2141  
Application 09/629,117

---

ON BRIEF

---



Before THOMAS, HAIRSTON, and SMITH, JERRY, Administrative Patent Judges.

THOMAS, Administrative Patent Judge.

DECISION ON APPEAL

Appellants have appealed to the Board from the examiner's final rejection of claims 11, 12, 23, 24, 35 through 37, 41, 45 and 49.

Representative independent claim 11 is reproduced below:

11. A system for accessing geographic information comprising:

(a) a personal digital assistant;

(b) an application on the personal digital assistant, the application configured to:

(i) request map data from a servlet;

(ii) receive the map data in a mapset constructed prior to the servlet receiving the request, wherein the mapset comprises map data for two or more maps;

(iii) format the map data;

(iv) display the map data on a screen of the personal digital assistant.

The following reference is relied on by the examiner:

Berstis	6,182,010	Jan. 30, 2001
		(filed Jan. 28, 1999)

All claims on appeal, claims 11, 12, 23, 24, 35 through 37, 41, 45 and 49 stand rejected under 35 U.S.C. § 103. As evidence of obviousness, the examiner relies upon Berstis alone.

Rather than repeat the positions of the appellants and the examiner, reference is made to the brief and reply brief for appellants' positions, and to the answer for the examiner's positions.

OPINION

Generally for the reasons set forth by the examiner in the answer, as expanded upon/modified here, we sustain the rejection of all claims on appeal under 35 U.S.C. § 103.

In the brief and reply brief, appellants present arguments as to independent claims 11, 23 and 35 collectively. The same approach is applied to the subject matter of independent claims 41, 45 and 49. As page 8 of the principal brief on appeal notes, dependent claim 37 is not argued, but the features of dependent claims 12, 24 and 36 are also commonly argued.

The feature in dispute in representative independent claim 11 is “receive the map data in a mapset constructed prior to the servlet receiving the request, wherein the mapset comprises map data for two or more maps.” To the extent the brief and reply brief actually argue that two maps are retrieved, we note that the claim only requires that the mapset comprise map data “for” two or more maps. Appellants have collectively argued the features of “map data for two or more maps” and the feature of the construction of “the map data in a mapset constructed prior to the servlet receiving the request” collectively. Thus, the claims do not require, even as argued, at the middle of page 5 of the principal brief on appeal, that two or

more maps are constructed together into the mapset prior to the request for map data.

In contrast to the general argument at the middle of page 2 of the principal brief on appeal that the specification provides a definition of the term “mapset,” it is not until the middle of page 2 of the reply brief that appellants make specific reference to the paragraph bridging specification pages 19 and 20. The broadly defined map data 408 is said to be a mapset which in turn, to the extent not recited in independent claim 11 on appeal, is plural maps that appear as an initial map that can be zoomed or maps that appear as links on an initial or zoomed map. These latter requirements are not recited in any claim on appeal. Therefore, to the extent appellants invite us to read these features of the disclosed invention into the claims, we will not do so since appellants are free to amend the present claims on appeal to include such features.

Moreover, the claims only recite “a mapset.” Contrary to the specific arguments made for the first time in the reply brief at pages 3 and 4, a single mapset is not recited in the claims on appeal. The broadly defined “a mapset” is inclusive of the capability of a system such as in Berstis to provide two mapsets with a plurality of maps therein, which in a sense may

characterize the examiner's basic position. We therefore agree with the examiner that the ability of Berstis to seek an initial map or map information with the capability of also presenting to the viewer a visual image or graphical display, such as a photograph, in a pop-up window as depicted in Figures 4 and 5, is consistent with the scope of representative independent claim 11 on appeal. Even to the extent that Berstis may teach to the artisan that the visual image or photograph or the like may be separately retrieved or subsequently retrieved from the initial map information, the claim does not explicitly exclude this capability. Note also that Figure 5's pop-up window 93 may be considered as a zoomed view of intersection 90 of Figure 4.

This analysis leads us to a second major argument throughout the brief and reply brief from appellants. They take the position that a photograph is not a map within the context of the plurality of maps recited in claim 11 on appeal. We as well as the examiner disagree with this approach. Clearly, to the artisan within 35 U.S.C. § 103, the teachings in Berstis are such that a photograph or visual image or the like is actually used as a map or map information or the broadly defined "map data" of the claims on appeal. Moreover, it is noted that Figure 5 in Berstis shows a pop-up window 93 with a visual image of map-like information depicting an

intersection 90 in detail. Column 7, lines 62-65 make it plain that “the particular image displayed on the pervasive computing client display need not be limited to a street or road. The image may be of any landmark, building, sign, road, or the like.” Therefore, the image data no matter how it is characterized in Berstis may be fairly considered as map data or part of a mapset as claimed.

Even if we were to agree with appellants’ position that only a single mapset is recited in representative independent claim 11 on appeal, the reference plainly teaches that this visual image information may comprise plural photographs and even video information when, once retrieved from a server, may both comprise plural map images. Note the discussion at column 2 in the Summary of the Invention as well as the lengthy discussion at columns 6 and 7. The system plainly has a capability of storing and therefore the user retrieving plural photographs or images of a given intersectional landmark or the like thus comprising a plurality of maps. In this sense then, Berstis therefore teaches a mapset of two or more maps as claimed. Obviously, within 35 U.S.C. § 103, a video image comprises plural frames and therefore plural maps of a given location, as detailed at the middle of column 7. Appellants’ brief and reply brief do not mention, let

Appeal No. 2006-2141  
Application No. 09/629,117

alone address, the teachings of plural photographs/video images of plural frames as comprising plural maps to the extent recited in representative independent claim 11 on appeal.

Next, we turn to the features recited in representative dependent claim 12 on appeal where it is stated that the request is a 'GET' HTTP request. As to this feature, we agree with the examiner's position set forth at pages 5 and 7 of the answer as to this subject matter. Because the reference contemplates Internet service, to the extent by specifically mentioning HTML protocols and a specific usability of servlets at column 4 of Berstis, it appears to us that the artisan would have clearly been taught or otherwise suggested the capability recited in claim 12 on appeal. The "GET" command in this claim is known in the Internet communications art. At a minimum, the reference would teach to the artisan that Berstis contemplates such capabilities because of the expansive teachings at column 4 with respect to the showing in Figure 2. We therefore conclude that, from an artisan's perspective, it would have been obvious to have used the capabilities of HTTP and servlets to get or otherwise fetch map data from a single or plurality of servers. The arguments at pages 7 and 8 of the

Appeal No. 2006-2141  
Application No. 09/629,117

principal brief on appeal and the arguments at page 5 of the reply brief do not address these teachings in Berstis.

Lastly, we address the subject matter of representative independent claim 41 on appeal. This claim recites, as a distinguishing characteristic over the subject matter of representative independent claim 11 on appeal, the broadly defined application configured to “receive the map data in a mapset constructed in parallel on multiple processing units.” Again, we make reference to our previous discussion that a single mapset is not required by any claim on appeal. Therefore, the artisan may well consider the ability shown in Figure 2 and the discussion at the bottom of column 2 and the middle of column 5 of utilizing GPS as encompassing an ability of one processing unit to get the broadly defined “map data.” Notwithstanding this, the reference plainly teaches at column 4, the ability of the system to have access to a single as well as a plurality of servers thus permitting the parallel construction of broadly defined map data from plural sources or servers or processing units.

To the extent broadly claimed, these teachings and suggestions in Berstis, within 35 U.S.C. § 103, plainly address arguments at pages 8 and 9 of the principal brief on appeal. Taken alone, the examiner’s “design

Appeal No. 2006-2141  
Application No. 09/629,117


choice” line of reasoning as to representative independent claim 41 on appeal at the bottom of page 7 of the answer is highly disfavored. The additional approach of the examiner there that the artisan “could easily construct the mapset in parallel on multiples CPU’s” begs the question and effectively is an argument based on hindsight. Notwithstanding appellants’ corresponding arguments at pages 5 through 7 of the reply brief with respect to the subject matter of representative independent claim 41 on appeal, the reference does appear to specifically teach or otherwise suggest to the artisan the nature of the subject matter of this representative claim on appeal.

In view of the foregoing, the decision of the examiner rejecting all claims on appeal under 35 U.S.C. § 103 is affirmed.


Appeal No. 2006-2141  
Application No. 09/629,117

No time period for taking any subsequent action in connection with  
this appeal may be extended under 37 CFR § 1.136(a).

AFFIRMED



James D. Thomas  
Administrative Patent Judge



Kenneth W. Hairston  
Administrative Patent Judge



Jerry Smith  
Administrative Patent Judge

BOARD OF PATENT  
APPEALS AND  
INTERFERENCES

JDT:tdl

Appeal No. 2006-2141  
Application No. 09/629,117

Gates & Cooper LLP  
Howard Hughes Center  
6701 Center Drive West, Suite 1050  
Los Angeles, CA 90045